
	PT. KOMIPO PEMBANGKITAN JAWA BALI	Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4	Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION	Design Div.	:Finance and Administration
		Revision No.	:00


6. KPJB Contractor Safety Rules
7. PT. KPJB's General Terms and Conditions for Contract
8. Term of Reference
9. Drawing

	PT. KOMIPO PEMBANGKITAN JAWA BALI	Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4	Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION	Design Div.	: Finance and Administration
		Revision No.	: 00


Attachment 1: RFQ No. K19357 R01

MATERIAL LIST

Item No	Item Code	Description	Quantity	
			Order	Unit
1	219960/	VALVE,REGULATING,PRESSURE, HYDRAULIC PRESSURE REDUCING VALVE, MODEL NO: J-63B, BATCH NO: 20151020, THREAD DIA: 1 INCH, MFG: SHANGHAI WEIYAN HYDRAULIC PARTS	4,00	PC
2	219961/	VALVE,REGULATING,FLOW, HYDRAULIC THROTTLE VALVE, PN: DV20S-1-10/2, THREAD DIA: 1 INCH, MFG: WUXISHI DE TIAN INDUSTRIAL AUTOMATION TECHNOLOGY	4,00	PC
3	223458/	VALVE,NEEDLE, GENERAL UTILITY SERVICES NEEDLE VALVE, MODEL NO: NBSS-FNS4-NS4-8-M, MATERIAL: SS316, INLET: FEMALE NPT 1/4 INCH, OUTLET: MALE 1/4 INCH, BRAND: FITOK	16,00	PC
4	211374/	VALVE,SOLENOID, MAGNETIC SOLENOID DRAIN VALVE, TYPE: PU220-15E2-JS, PRESS: 0-0.7MPA, DIA: 1 INCH, BRAND: E-MC	3,00	EA
5	101325/	FILTER ELEMENT, 3M MICRO KLEAN D/ MYCRO WYND II P/N: DCCSA MATERIAL: COTTON MEDIA, STAINLESS STEEL CORE, RATING 3 MICRON, L 9 7/8"	78,00	PC
6	224207/	INDICATOR/TRANSMITTER,RATE OF FLOW, OIL FLOW INDICATOR, OIL IMMERSED TRANSFORMER PROTECTIVE RELAY, OIL FLOW 2000L/MIN, BUILT-IN MICRO-SWITCH, RATING AC125-250V-5A; DC125-250V-0.5A (NON-INDUCTIVE LOAD)	7,00	PC
7	223716/	TEMPERATURE ELEMENT, RTD PT100, DUAL ELEMENT, REFER TO DRAWING NO: 4ME001181, MFG: OKAZAKI	1,00	EA
8	205406/	TEMPERATURE ELEMENT, TYPE : E, DOUBLE ELEMENT, OD: 4.8MM, MATERIAL: 316L/IEC1, LE: 616MM, L1: 516MM, L2: 100MM, CONNECTION: 1/8" NPT SUS 304, REF DWG NO: P-558829, MFG: YAMARI	2,00	SET
9	221759/	INDICATOR,TEMPERATURE, THERMOSTAT, LP SEAL AIR HEATER, VOLTAGE RATING : 220 VAC, ITEM NUMBER : BT1 SERIES, BRAND : BOTA	4,00	PC
10	201936/	INVERTER,POWER,STATIC, VFD of Limestone Weight Feeder, ABB, 380-480 V, 2.2 KW, 3 PHASE, ACS355-03E-05A6-4	2,00	PC
11	223907/	MOTOR,ALTERNATING CURRENT, Q3E71-FA, , HPT BY PASS, THREE PHASE INDUCTION MOTOR, 3PHASE, 380VAC, 0.37KW, 1.07A, 50HZ, IC411, IP55, S1, CLASS F, 1500RPM, FLANGE MOUNTED IM B5	2,00	SET
12	223900/	CONTROL,TEMPERATURE,INDICATING, TEMPERATURE CONTROLLER TYPE :TK4W-A4RN, 7-SEGMENT LED,POWER 100-240VAC~ 50/60HZ, INPUT: RTD, THERMOCOUPLE 4-20mA, BRAND; AUTONICS	50,00	PC
13	224258/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2000MM	6,00	PC
14	224259/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2200MM	6,00	PC
15	224260/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2400MM	6,00	PC
16	224261/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2600MM	6,00	PC

	PT. KOMIPO PEMBANGKITAN JAWA BALI	Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4	Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION	Design Div.	: Finance and Administration
		Revision No.	: 00

17	224262/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/2", END CONNECTION 1/2" MALE NPT SWIVEL, 1/2 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 1200MM	16,00	PC
18	224263/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1", END CONNECTION FEMALE SWIVEL BSPT 1" TO MALE SWIVEL BSPT 1", OVERALL LENGTH 1000MM	4,00	PC
19	222155/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/2", END CONNECTION FEMALE BSPT 1/2" TO MALE BSPT 1/2", OVERALL LENGHT 1000MM	12,00	PC
20	222156/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION FEMALE BSPT 1/4" TO MALE BSPT 1/8", OVERALL LENGHT 1000MM	8,00	PC

	PT. KOMIPO PEMBANGKITAN JAWA BALI	Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4	Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION	Design Div.	: Finance and Administration
		Revision No.	: 00

Attachment 2: RFQ No. K19357 R01

Quotation format

A. Price Quotation

<COMPANY LOGO>

Quotation

No:

Item No	Item Code	Description	Quantity		Price (IDR)	
			Order	Unit	Unit Price	Total
1	219960/	VALVE,REGULATING,PRESSURE, HYDRAULIC PRESSURE REDUCING VALVE, MODEL NO: J-63B, BATCH NO: 20151020, THREAD DIA: 1 INCH, MFG: SHANGHAI WEIYAN HYDRAULIC PARTS	4,00	PC		
2	219961/	VALVE,REGULATING,FLOW, HYDRAULIC THROTTLE VALVE, PN: DV20S-1-10/2, THREAD DIA: 1 INCH, MFG: WUXISHI DE TIAN INDUSTRIAL AUTOMATION TECHNOLOGY	4,00	PC		
3	223458/	VALVE,NEEDLE, GENERAL UTILITY SERVICES NEEDLE VALVE, MODEL NO: NBSS-FNS4-NS4-8-M, MATERIAL: SS316, INLET: FEMALE NPT 1/4 INCH, OUTLET: MALE 1/4 INCH, BRAND: FITOK	16,00	PC		
4	211374/	VALVE,SOLENOID, MAGNETIC SOLENOID DRAIN VALVE, TYPE: PU220-15E2-JS, PRESS: 0-0.7MPA, DIA: 1 INCH, BRAND: E-MC	3,00	EA		
5	101325/	FILTER ELEMENT, 3M MICRO KLEAN D/ MYCRO WYND II P/N: DCCSA MATERIAL: COTTON MEDIA, STAINLESS STEEL CORE, RATING 3 MICRON, L 9 7/8"	78,00	PC		
6	224207/	INDICATOR/TRANSMITTER,RATE OF FLOW, OIL FLOW INDICATOR, OIL IMMERSERD TRANSFORMER PROTECTIVE RELAY, OIL FLOW 2000L/MIN, BUILT-IN MICRO-SWITCH, RATING AC125-250V-5A; DC125-250V-0.5A (NON-INDUCTIVE LOAD)	7,00	PC		
7	223716/	TEMPERATURE ELEMENT, RTD PT100, DUAL ELEMENT, REFER TO DRAWING NO: 4ME001181, MFG: OKAZAKI	1,00	EA		
8	205406/	TEMPERATURE ELEMENT, TYPE : E, DOUBLE ELEMENT, OD: 4.8MM, MATERIAL: 316L/IEC1, LE: 616MM, L1: 516MM, L2: 100MM, CONNECTION: 1/8" NPT SUS 304, REF DWG NO: P-558829, MFG: YAMARI	2,00	SET		
9	221759/	INDICATOR,TEMPERATURE, THERMOSTAT, LP SEAL AIR HEATER, VOLTAGE RATING : 220 VAC, ITEM NUMBER : BT1 SERIES, BRAND : BOTA	4,00	PC		
10	201936/	INVERTER,POWER,STATIC, VFD of Limestone Weight Feeder, ABB, 380-480 V, 2.2 KW, 3 PHASE, ACS355-03E-05A6-4	2,00	PC		
11	223907/	MOTOR,ALTERNATING CURRENT, Q3E71-FA, , HPT BY PASS, THREE PHASE INDUCTION MOTOR, 3PHASE, 380VAC, 0.37KW, 1.07A, 50HZ, IC411, IP55, S1, CLASS F, 1500RPM, FLANGE MOUNTED IM B5	2,00	SET		
12	223900/	CONTROL,TEMPERATURE,INDICATING, TEMPERATURE CONTROLLER TYPE :TK4W-A4RN, 7-SEGMENT LED,POWER 100-240VAC~ 50/60HZ, INPUT: RTD, THERMOCOUPLE 4-20mA, BRAND; AUTONICS	50,00	PC		
13	224258/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT	6,00	PC		


	PT. KOMIPO PEMBANGKITAN JAWA BALI	Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4	Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION	Design Div.	: Finance and Administration
		Revision No.	: 00

		SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2000MM				
14	224259/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2200MM	6,00	PC		
15	224260/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2400MM	6,00	PC		
16	224261/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2600MM	6,00	PC		
17	224262/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/2", END CONNECTION 1/2" MALE NPT SWIVEL, 1/2 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 1200MM	16,00	PC		
18	224263/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1", END CONNECTION FEMALE SWIVEL BSPT 1" TO MALE SWIVEL BSPT 1", OVERALL LENGTH 1000MM	4,00	PC		
19	222155/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/2", END CONNECTION FEMALE BSPT 1/2" TO MALE BSPT 1/2", OVERALL LENGHT 1000MM	12,00	PC		
20	222156/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION FEMALE BSPT 1/4" TO MALE BSPT 1/8", OVERALL LENGHT 1000MM	8,00	PC		

Term and Conditions:

1. The above price are included delivery cost to warehouse of PT. KPJB
2. Please mention Certificate is required at the delivery time
3. Payment will be made by Telegraphic Transfer (T/T) within forty five (45) days after invoice received, attached with delivery or work completion report issued by PT.KPJB.
4. Please mention Bank Account that will be use for payment (including Bank Name, Bank Address)
5. Please mention Name of Director

Place, [Month] [Date] [Year]
SIGN & COMPANY STAMP
DUTY STAMP / MATERAI (10000)
Name
(Title)


	PT. KOMIPO PEMBANGKITAN JAWA BALI		Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4		Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION		Design Div.	: Finance and Administration
			Revision No.	: 00

B. Unpriced Quotation

<COMPANY LOGO>

**Quotation
No:**

Item No	Item Code	Description	Quantity		Delivery Time
			Order	Unit	
1	219960/	VALVE,REGULATING,PRESSURE, HYDRAULIC PRESSURE REDUCING VALVE, MODEL NO: J-63B, BATCH NO: 20151020, THREAD DIA: 1 INCH, MFG: SHANGHAI WEIYAN HYDRAULIC PARTS	4,00	PC	Not later than June 30, 2026.
2	219961/	VALVE,REGULATING,FLOW, HYDRAULIC THROTTLE VALVE, PN: DV20S-1-10/2, THREAD DIA: 1 INCH, MFG: WUXISHI DE TIAN INDUSTRIAL AUTOMATION TECHNOLOGY	4,00	PC	
3	223458/	VALVE,NEEDLE, GENERAL UTILITY SERVICES NEEDLE VALVE, MODEL NO: NBSS-FNS4-NS4-8-M, MATERIAL: SS316, INLET: FEMALE NPT 1/4 INCH, OUTLET: MALE 1/4 INCH, BRAND: FITOK	16,00	PC	
4	211374/	VALVE,SOLENOID, MAGNETIC SOLENOID DRAIN VALVE, TYPE: PU220-15E2-JS, PRESS: 0-0.7MPA, DIA: 1 INCH, BRAND: E-MC	3,00	EA	
5	101325/	FILTER ELEMENT, 3M MICRO KLEAN D/ MYCRO WYND II P/N: DCCSA MATERIAL: COTTON MEDIA, STAINLESS STEEL CORE, RATING 3 MICRON, L 9 7/8"	78,00	PC	
6	224207/	INDICATOR/TRANSMITTER,RATE OF FLOW, OIL FLOW INDICATOR, OIL IMMERSERD TRANSFORMER PROTECTIVE RELAY, OIL FLOW 2000L/MIN, BUILT-IN MICRO-SWITCH, RATING AC125-250V-5A; DC125-250V-0.5A (NON-INDUCTIVE LOAD)	7,00	PC	
7	223716/	TEMPERATURE ELEMENT, RTD PT100, DUAL ELEMENT, REFER TO DRAWING NO: 4ME001181, MFG: OKAZAKI	1,00	EA	
8	205406/	TEMPERATURE ELEMENT, TYPE : E, DOUBLE ELEMENT, OD: 4.8MM, MATERIAL: 316L/IEC1, LE: 616MM, L1: 516MM, L2: 100MM, CONNECTION: 1/8" NPT SUS 304, REF DWG NO: P-558829, MFG: YAMARI	2,00	SET	
9	221759/	INDICATOR,TEMPERATURE, THERMOSTAT, LP SEAL AIR HEATER, VOLTAGE RATING : 220 VAC, ITEM NUMBER : BT1 SERIES, BRAND : BOTA	4,00	PC	
10	201936/	INVERTER,POWER,STATIC, VFD of Limestone Weight Feeder, ABB, 380-480 V, 2.2 KW, 3 PHASE, ACS355-03E-05A6-4	2,00	PC	
11	223907/	MOTOR,ALTERNATING CURRENT, Q3E71-FA, , HPT BY PASS, THREE PHASE INDUCTION MOTOR, 3PHASE, 380VAC, 0.37KW, 1.07A, 50HZ, IC411, IP55, S1, CLASS F, 1500RPM, FLANGE MOUNTED IM B5	2,00	SET	
12	223900/	CONTROL,TEMPERATURE,INDICATING, TEMPERATURE CONTROLLER TYPE :TK4W-A4RN, 7-SEGMENT LED,POWER 100-240VAC~ 50/60HZ,	50,00	PC	

	PT. KOMIPO PEMBANGKITAN JAWA BALI		Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4		Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION		Design Div.	: Finance and Administration
			Revision No.	: 00


		INPUT: RTD, THERMOCOUPLE 4-20mA, BRAND; AUTONICS			
13	224258/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2000MM	6,00	PC	
14	224259/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2200MM	6,00	PC	
15	224260/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2400MM	6,00	PC	
16	224261/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION 1/4" MALE NPT SWIVEL, 1/4 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 2600MM	6,00	PC	
17	224262/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/2", END CONNECTION 1/2" MALE NPT SWIVEL, 1/2 " MALE NPT ELBOW SWIVEL, OVERALL LENGTH 1200MM	16,00	PC	
18	224263/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1", END CONNECTION FEMALE SWIVEL BSPT 1" TO MALE SWIVEL BSPT 1", OVERALL LENGTH 1000MM	4,00	PC	
19	222155/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/2", END CONNECTION FEMALE BSPT 1/2" TO MALE BSPT 1/2", OVERALL LENGHT 1000MM	12,00	PC	
20	222156/	HOSE,METALLIC, METAL BRAIDED FLEXIBLE HOSE SS316 SIZE 1/4", END CONNECTION FEMALE BSPT 1/4" TO MALE BSPT 1/8", OVERALL LENGHT 1000MM	8,00	PC	

Term and Conditions:

1. The above price are included delivery cost to warehouse of PT. KPJB
2. Please mention Certificate is required at the delivery time
3. Payment will be made by Telegraphic Transfer (T/T) within forty five (45) days after invoice received, attached with delivery or work completion report issued by P.T.KPJB.
4. Please mention Bank Account that will be use for payment (including Bank Name, Bank Address)
5. Please mention Name of Director

Place, [Month] [Date] [Year]
SIGN & COMPANY STAMP

Name
(Title)

	PT. KOMIPO PEMBANGKITAN JAWA BALI	Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4	Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION	Design Div.	: Finance and Administration
		Revision No.	: 00


Attachment 3: RFQ No. K19357 R01

Unprice Document Required

No.	Syarat Administrasi (Administration Requirement)
A.	
1	Asli Surat Penawaran (Original Unprice quotation) yang: <ol style="list-style-type: none"> 1. Description sesuai permintaan 2. Bertanggal (dated) 3. Bertanda tangan dan Cap Perusahaan (Company stamped) 4. Menyebutkan waktu pengiriman sampai gudang sesuai permintaan (Time Delivery)
2	Pengalaman Pekerjaan dengan total harga kontrak senilai minimal IDR 145.000.000 – menyerahkan copy kontrak atau PO (Work Experience for contract amount minimum IDR 145.000.000 – submitting the copy of the contract or PO)
3	Copy pembayaran pajak SSP (PPN) 3 bulan terakhir periode: Sep, Okt, Nov 2025 (Copy of last 3 month payment tax or period of: Sep, Oct, Nov 2025)
4	Original Pakta Integritas
5	Surat Pernyataan Keaslian Dokumen
6	Vendor participant must have registered CSMS Certificate (minimum : Low Risk Level) issued by PT. PLN (Persero) - submitting the copy of the document
7	Original Bid bond 1% up to 3% from price quotation (including VAT) with the validity until - Bid bond should be issued by Bank based on DPJT list and format issued by PLN - Beneficiary of Bid bond to: PT. Perusahaan Listrik Negara (Persero) UIK Tanjung Jati B Desa Tubanan, Kecamatan Kembang, Jepara Jaminan Penawaran asli 1% sampai dengan 3% dari Penawaran Harga (termasuk PPN) dengan validitas sampai dengan
B.	
1	Copy Surat Ijin Usaha Perusahaan – SIUP / BKPM (PMA) (copy of Business License)
2	Copy Surat Ijin Tempat Usaha – SITU / DOMISILI / HO (Copy of Domicile Certificate)
3	Copy Nomor Pokok Wajib Pajak - NPWP (Copy Tax ID number of company)
4	Copy Surat Pengukuhan Perusahaan Kena Pajak - SPPKP (Copy of Taxable Company Certificate)
5	Copy Tanda Daftar Perusahaan – TDP / NIB (Copy of Certificate Company Registration)
6	Copy Akte pendirian perusahaan/perubahan *jika ada (Deed of Incorporation)

Note: Administration Requirement point B 1-6 is not required to be submitted if your company already registered in our SAP and the Company data submitted still valid until closing time. If any document not submitted by the suppliers or the submitted document do not meet the requirement, we will regard that the supplier fails and we will not open the price quotation document (price evaluation)

Catatan: Syarat Administrasi no. B 1-6 tidak perlu di kirimkan jika perusahaan anda sudah terdaftar di SAP kami dan data yang dahulu di kirimkan masih berlaku sampai dengan waktu penutupan bidding. Jika ada dokumen yang tidak diserahkan atau dokumen yang diserahkan tidak sesuai dengan persyaratan, kami akan menganggap bahwa supplier gagal dan kami tidak akan membuka dokumen penawaran harga (evaluasi harga).

	PT. KOMIPO PEMBANGKITAN JAWA BALI	Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4	Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION	Design Div.	: Finance and Administration
		Revision No.	: 00

Attachment 4: RFQ No. K19357 R01

(KOP PERUSAHAAN/BADAN/LEMBAGA)

PAKTA INTEGRITAS

Saya yang bertanda tangan di bawah ini, dalam rangka Pengadaan (*diisi Nama Pengadaan*) dengan nomor (*diisi nomor RFQ/PR*), pada satuan kerja PT KPJB yang dalam hal ini mewakili PT PLN (Persero) Unit Induk Pembangkitan Tanjung Jati B Jepara dengan ini menyatakan bahwa saya:

1. Akan mentaati peraturan tentang Pedoman Pengadaan Barang/Jasa di Lingkungan PT KPJB dan PT PLN (Persero), dan peraturan perundang-undangan yang terkait dengan pengadaan;
2. Tidak akan melakukan persengkokolan/pengaturan/kerjasama diantara para Peserta Pengadaan/Jasa lain dan/atau Pengguna Barang/Jasa dan/atau Pelaksana Pengadaan yang dapat mengakibatkan terjadinya persaingan usaha tidak sehat;
3. Mendukung prinsip **4 NO's** yang dijunjung tinggi oleh PT KPJB dan PT PLN (Persero) yaitu:
 - a. **No Bribery** (tidak boleh ada suap menyuap dan pemerasan)
 - b. **No Kickback** (tidak boleh ada komisi, tanda terimakasih baik dalam bentuk uang dan dalam bentuk lainnya);
 - c. **No Gift** (tidak boleh ada hadiah atau gratifikasi yang bertentangan dengan peraturan
 - d. **No Luxirious Hospitality** (tidak boleh ada penyambutan dan jamuan yang berlebihan).
4. Tidak akan melakukan komunikasi yang mengarah dan/atau melakukan praktek Korupsi, Kolusi dan Nepotisme (KKN)
5. Akan melakukan proses pengadaan secara bersih dan transparan agar menghasilkan pekerjaan sesuai ketentuan peraturan perundang-undangan yang berlaku.

Apabila saya melanggar hal-hal yangtelah saya nyatakan dalam Pakta Integritas ini, saya bersedia dikenakan sanksi sesuai dengan ketentuan peraturan perundang-undangan yang berlaku.

_____ [Tempat], _____ [Tanggal]

[Tanda Tangan & Cap Perusahaan & Materai 10.000]

_____ [Nama Jelas]

_____ [Jabatan]

	PT. KOMIPO PEMBANGKITAN JAWA BALI	Doc. Ref	: KPJB-0951-02
	PLTU TANJUNG JATI B #UNIT 3&4	Form No.	: KPJB-0951-02-ZZ-FM-03
	REQUEST FOR QUOTATION	Design Div.	: Finance and Administration
		Revision No.	: 00

Attachment 5: RFQ No. K19357 R01

(KOP PERUSAHAAN/BADAN/LEMBAGA)

SURAT PERNYATAAN KEASLIAN DOKUMEN

Yang bertanda tangan di bawah ini :

Nama :

Jabatan :

Alamat :

Sehubungan dengan pekerjaan :

Judul Pekerjaan :

RFQ No. :

Menyatakan dengan sesungguhnya bahwa segala dokumen yang kami sampaikan adalah benar dan apabila dikemudian hari ditemukan bahwa dokumen – dokumen yang telah kami sampaikan tidak benar dan ada pemalsuan, maka kami bersedia dikenakan sanksi sesuai peraturan perundang – undangan yang berlaku.

_____ [Tempat], _____ [Tanggal]

[Tanda Tangan & Cap Perusahaan & Materai 10.000]

_____ [Nama Jelas]

_____ [Jabatan]